Pain, 67 (1996) 521–524
© 1996 International Association for the Study of Pain. 0304-3959 / 96 / $15.00

Contents to Volume 67 (1996)

Number 1 – October 1996

Guest Editorial

Primary afferents and inflammatory hyperexcitability
K. Ren (USA) 1

Editorial

New perspectives on the definition of pain
K.J.S. Anand and K.D. Craig (USA; Canada) 3

REVIEW ARTICLES

The impact of dementia on the pain experience
M.J. Farrell, B. Katz and R.D. Helme (Australia) 7
Application of focused ultrasound for research on pain
I. ab Ithel Davies, L.R. Gavnlov and E.M. Tsirulnikov (UK; Russia) 17

RESEARCH REPORTS

The prevalence of pain among the oldest old in Sweden
G. Brattberg, M.G. Parker and M. Thorslund (Sweden) 29
The use of multiple-item scales for pain intensity measurement in chronic pain patients
M.P. Jensen, L.R. Turner, J.A. Turner and J.M. Romano (USA) 35
Coping with chronic pain: flexible goal adjustment as an interactive buffer against pain-related distress
U. Schmitz, H. Saile and P. Nilges (Germany) 41
Tension-type headache in different age groups at two headache centers
C. Wöber-Bingöl, C. Wöber, A. Karwautz, P.r Schnider, C. Vesely, C. Wagner-Ennsgraber, K. Zebenholzer and P. Wessely (Austria) 53
Right-lateralised central processing for pain of nitroglycerin-induced cluster headache
J.-C. Hsieh, J. Hannerz and M. Ingvar (Sweden; ROC) 59
The effect of ketamine on phantom pain: a central neuropathic disorder maintained by peripheral input
L. Nikolajsen, C.L. Hansen, I. Nielsen, J. Keller, L. Arendt-Nielsen and T.S. Jensen (Denmark) 69
Continuous co-administration of dextromethorphan or MK-801 with morphine: attenuation of morphine dependence and naloxone-reversible attenuation of morphine tolerance
B.H. Manning, J. Mao, H. Frenk, D.D. Price and D.J. Mayer (USA; Israel) 79
Vibrotactile threshold is elevated in temporomandibular disorders
M. Hollins, A. Sigurdsson. L. Fillingim and A.K. Goble (USA) 89
Progressive tactile hypersensitivity: an inflammation-induced incremental increase in the excitability of the spinal cord
Q.-P. Ma and C.J. Woolf (UK) 97
Psychological differences between reflex sympathetic dystrophy and non-RSD chronic pain patients
S. Bruehl, B. Husfeldt, T.R. Lubenow, H. Nath and A.D. Ivankovich (USA) 107
Individualized use of methadone and opioid rotation in the comprehensive management of cancer pain associated with poor prognostic indicators
A. Vigano', D. Fan and E. Bruera (Canada) 115
A placebo controlled double blind trial to evaluate the effectiveness of pulsed short wave therapy for osteoarthritic hip and knee pain
J.A. Klaber Moffett, P.H. Richardson, H. Frost and A. Osborn (UK) 121
Independent effects of ischaemia and noradrenaline on thermal hyperalgesia in capsaicin-treated skin
P.D. Drummond (Australia) 129
Exclusion of $p75^{NGFR}$ and other candidate genes in a family with hereditary sensory neuropathy Type II
G. Davar, C. Shalish, A. Blumenfeld and X.O. Breakefield (USA) 135
Development of the Waldron/Varni Pediatric Pain Coping Inventory
J.W. Varni, S.A. Waldron, R.A. Gragg, M.A. Rapoff, B.H. Bernstein, C.B. Lindsley and M.D. Newcomb (USA) 141
The spinal contribution of substance P to the generation and maintenance of inflammatory hyperalgesia in the rat
R.J. Traub (USA) 151
Sensitization of the tail-flick reflex following exposure to either a single prolonged test trial or behavioral testing under the analgesic influence of morphine
A.E. Baldwin and J.T. Cannon (USA) 163

Both motor and sensory abnormalities contribute to changes in foot posture in an expenmental rat neuropathic model
H.S. Na, Y.W. Yoon and J.M. Chung (USA) 163
Enhanced withdrawal responses to heat and mechanical stimuli following intraplantar injection of capsaicin in rats
H.D. Gilchrist, B.L. Allard and D.A. Simone (USA) 179
Enantioselective inhibition of the formalin paw late phase by the NK1 receptor antagonist L-733,060 in gerbils
N.M.J. Rupniak, E. Carlson, S. Boyce. J.K. Webb and R.G. Hill (UK) 189
Dermatomes in the rat limbs as determined by antidromic stimulation of sensory C-fibers in spinal nerves
Y. Takahashi and Y. Nakajima (Japan) 197
Development of thermal nociception in rats
M. Falcon, D. Guendellman, A. Stolberg, H. Frenk and G. Urca (Israel) 203

LETTERS TO THE EDITOR

Response to Editorial: New Perspectives on the Definition of Pain
H. Merskey 209
Response to Editorial by Anand and Craig
P.D. Wall 209
Re: Reply to Letters to the Editor from Merskey & Wall
K.J.S. Anand and K.D. Craig (USA; Canada) 210
Comment on Editorial by Anand and Craig
S.W.G. Derbyshire (UK) 210
Comments on Luo and Wiesenfeld-Hallin (*PAIN* 63 (1995) 173–179)
J. Katz (Canada) 212
Response to comments by Katz
Z. Wiesenfeld-Hallin (Sweden) 214
Comments on Eccleston (*PAIN*, 63 (1995) 3–10)
S. Maltzman (USA) 214
Response on comment by Maltzman
C. Eccleston (UK) 215
Comments on Carmody, *PAIN*. 63 (1995) 136
R.B. Raffa (USA) 215
Response on comment by Raffa
J. Carmody (Australia) 217
Comment on Kramis et al. (*PAIN*, 64 (1996) 1–19)
R.A. Boas (New Zealand) 218
Response to comment by Boas
R.C. Kramis, W.J. Roberts and R.G. Gillette 219
Comments on Detweiler et al. (*PAIN* 63 (1995) 251–254)
F.V. Abbott, K.B.J. Franklin and R. Melzack (Canada) 220
Response to comments by Abbott et al.
A.I. Basbaum, D.S. Rohde and D.J. Detweiler (USA) 223
Comment on Ortler et al. (*PAIN*, 62 (1995) 357–361)
W.O. Arruda and S.C. Humhevicz (Brazil) 225
Response to comments by Arruda and Hunhevicz
M. Ortler, A. Obwegeser and J.J. Langmayr (Austria) 226
Sumatriptan and episodic pain syndromes other than migraine
I. Roberts-Thomson, J. Argyrides, P. Pannall and D. Frewin (Australia) 226
Comment on Merskey (*PAIN*, 64 (1996) 205)
J.-E. Baños (Brazil) 227
Neuropathic pain: lessons from opioid tolerance/dependence
M. Levitt and J. Ovelmen-Levitt (USA) 227

Numbers 2 and 3 – October 1996

REVIEW ARTICLES

The medullary subnucleus reticularis dorsalis (SRD) as a key link in both the transmission and modulation of pain signals
L. Villanueva, D. Bouhassira and D. Le Bars (France) 231
Pain and its persistence in herpes zoster
R.H. Dworkin and R.K. Portenoy (USA) 241

RESEARCH REPORTS

Reactive effects of diary self-assessment in chronic pain patients
C.E. Cruise, J. Broderick, L. Porter, A. Kaell and A.A. Stone (USA) 253
Assessing the dimensions of pain: a multitrait-multimethod evaluation of seven measures
K.A. Holroyd, F. Talbot, J.E. Holm, J.D. Pingel, A.E. Lake and J.R. Saper (USA) 259

Dimensions of the impact of cancer pain in a four country sample: new information from multidimensional scaling
C.S. Cleeland, Y. Nakamura, T.R. Mendoza, K.R. Edwards, J. Douglas and R.C. Serlin (USA) 267
Evidence for a change in neural processing in phantom limb paatients
W. Larbig, P. Montoya, H. Flor, H. Bilow, S. Weller, N. Birbaumer (Germany; Italy) 275
Lack of effect of transcutaneous electrical nerve stimulation upon experimentally induced delayed onset muscle soreness in humans
J.A. Craig, M.B. Cunningham, D.M. Walsh, G.D. Baxter and J.M. Allen (UK) 285
Is there a pathway in the posterior funiculus that signals visceral pain?
R.M. Hirshberg, E.D. Al-Chaer, N.B. Lawand, K.N. Westlund and W.D. Willis (USA) 291
Basal and touch-evoked fos-like immunoreactivity during experimental inflammation in the rat
Q.-P. Ma and C.J. Woolf (UK) 307
Reflex sympathetic dystrophy: skin blood flow, sympathetic vasoconstrictor reflexes and pain before and after surgical sympathectomy
R. Baron and C. Maier (Germany) 317
Multiple session experimental pain measurement
D. Yarnitsky, E. Sprecher, R. Zaslansky and J.A. Hemli (Israel) 327
Pain control after dental surgery: a double-blind, randomised trial of lornoxicam versus morphine
S.E. Nørholt, S. Sindet-Pedersen, U. Larsen, U. Bang, J. Ingerslev, O. Nielsen, H.J. Hansen and A.K. Ersbøll (Denmark) 335
Characterization of time course of spinal amino acids, citrulline and PGE_2 release after carrageenan/kaolin-induced knee joint inflammation: a chronic microdialysis study
L.C. Yang, M. Marsala, T.L. Yaksh (ROC; USA) 345
Inhibition of trigeminal neurons by intravenous administration of the serotonin $(5HT)_{1B/D}$ receptor agonist zolmitriptan (311C90): are brain stem sites therapeutic target in migraine ?
P.J. Goadsby and K.L. Hoskin (UK) 355
Oral administration of dextromethorphan prevents the development of morphine tolerance and dependence in rats
J. Mao, D.D. Price, F.S. Caruso and D.J. Mayer (USA) 361
The opioid ketobemidone has a NMDA blocking effect
S. Andersen, A.H. Dickenson, M. Kohn, A. Reeve, W. Rahman and B. Ebert (Denmark; UK) 369
Endothelin antagonist bosentan blocks neurogenic inflammation, but is not effective in aborting migraine attacks
A. May, H.J. Gijsman, A. Wallnöfer, R. Jones, H.C. Diener and M.D. Ferrari (Germany; Switzerland) 375
Ketoprofen produces profound inhibition of spinal c-Fos protein expression resulting from an inflammatory stimulus but not from noxious heat
J. Buritova, P. Honoré and J.-M. Besson (France) 379
Abnormal spontaneous activity and responses to norepinephrine in dissociated dorsal root ganglion cells after chronic nerve constriction
M. Petersen, J. Zhang, J.-M. Zhang and R.H. LaMotte (Germany; USA) 391
Spontaneous and mechanically evoked afferent activity originating from myelinated fibres in ferret inferior alveolar nerve neuromas
U. Bongenhielm and P.P. Robinson (UK) 399
The Chinese version of the Brief Pain Inventory (BPI-C): its development and use in a study of cancer pain
X.S. Wang, T.R. Mendoza, S.-Z. Gao and C.S. Cleeland (USA; People's Republic of China) 407
Efficacy and tolerance of repeated oral doses of tolperisone hydrochloride in the treatment of painful reflex muscle spasm: results of a prospective placebo-controlled double-blind trial
H.G. Pratzel, R.-G. Alken and S. Ramm (Germany) 417
The clinical course of musculoskeletal pain in empirically derived groupings of injured workers
J. Crook and H. Moldofsky (Canada) 427
Nitric oxide mediates long-term hyperalgesic and antinociceptive effects of the N-terminus of substance P in the formalin assay in mice
V.M. Goettl and A.A. Larson (USA) 435
Epidural and subcutaneous morphine in the management of cancer pain: a double-blind cross-over study
E. Kalso, T. Heiskanen, M. Rantio, P.H. Rosenberg and A. Vainio (Finland) 443
Excitatory amino release within spinal trigeminal nucleus after mustard oil injection into the temporomandibular joint region of the rat
D.A. Bereiter and A.P. Benetti (USA) 451
Pain measurement in elders with chronic low back pain: traditional and alternative approaches
D. Weiner, C. Pieper, E. McConnell, S. Martinez and F. Keefe (USA) 461
Mothers' attitudes and behavior toward medicating children's pain
S.P. Forward, T.L. Brown and P.J. McGrath (Canada) 469
Cancer pain assessment and management by housestaff
P.A. Sloan, M.B. Donnelly, R.W. Schwartz and D.A. Sloan (USA) 475
Pain perception in idiopathic cervical dystonia (spasmodic torticollis)
F. Lobbezoo, R. Tanguay, M. Thu Thon and G.J. Lavigne (Canada) 483
Prevalence and characteristics of chronic sensory problems in burn patients
A. Malenfant, R. Forget, J. Papillon, R. Amsel, J.-Y. Frigon and M. Choinière (Canada) 493
A comparison of tension-type headache in migraineurs and in Non-migraineurs: a population-based study
V. Ulrich, M.B. Russell, R. Jensen and J. Olesen (Denmark) 501

CLINICAL NOTES

Diagnostic obturator nerve block for inguinal and back pain: a recovered opinion
Y. Hong, T. O'Grady, D. Lopresti and C. Carlsson (USA) 507
Relationship between thresholds to thermally and to mechanically induced pain in patients with eating disorders and healthy subjects
M. de Zwaan, D. Biener, C. Schneider and G. Stacher (Austria) 511